

- A**
- Ahluwalia JS, 228
Ahrens MB, 137
Allan J, 267
Anderson M, 146
Anderson RM, 3S
Anstadt G, 330
Asch S, 113
- B**
- Barrios LC, 146
Beach ML, 137
Bjornson WM, 234
Blair SN, 8S
Boyd TD, 184
Brener ND, 146
Brennan J, 165
Briss P, 15S, 39S
Browneller PA, 66
Brownson RC, 156, 73S
Buchanan S, 71
Buist AS, 234
Buist D, 177
Bulim I, 184
- C**
- Callan CM, 211
Caplow M, 177
Carande-Kulis VG, 15S, 39S
Carlson BE, 84
Caspersen CJ, 15S, 39S
Cass AR, 56
Catlin TK, 156
Chen JJ, 156
Chen JL, 98
Choi WS, 228
Clark MA, 1
Clarke RM, 59
Coriell M, 49
Corso P, 73S
- D**
- Dalton MA, 137
Davey HM, 15
De Guire M, 165
Dellinger A, 331
Dismuke SE, 69
Dodard M, 117
Duan N, 113
Dube CE, 1
Dunn AL, 8S
Durcan MJ, 234
- E**
- Earp JL, 8
Edgerton EA, 113
Ehrich B, 1
Elder RW, 331
Ellenberg SS, 170
Elliott JP, 110
Elster AB, 211
- Engelgau MM, 42, 15S, 39S
- F**
- Ferrari JD, 110
Ford BS, 106
Fournier AM, 117
Francis J, 117
Frisch L, 69
Funnell MM, 3S
- G**
- Garfield S, 15S, 39S
Gebbie KM, 217
Geiss LS, 42
Gemson DH, 68
Girgis A, 15
Gjeltema K, 320
Glanz K, 72
Glasgow RE, 15S, 39S
Goldstein M, 1
Gonzales D, 234
Green BB, 177
- H**
- Halabi S, 247
Halpern-Felsher B, 49
Harris KJ, 228
Hays JT, 234
Heath GW, 73S
Heatherton TF, 137
Henderson A, 221
Hennessey T, 110
Hindmarsh M, 177
Holcomb K, 165
Holtgrave DR, 209
Howze EH, 73S
Hulley SB, 258
Humpel N, 188
Hurt RD, 234
- I**
- Isham G, 15S, 39S
- J**
- Jack Jr. L, 15S, 39S
Johnston JA, 234
- K**
- Kahn EB, 73S
Kaiser R, 221
Kaplan EB, 247
Kieszak SM, 221
Kilbourne EM, 328
Kim D, 71
Kip KE, 258
Kraft K, 208
Kriska A, 6S
Krueger CL, 170
- L**
- LaDou J, 285
Laurant MGH, 120
- Lee JM, 73
Lemke B, 184
Leslie E, 188
Levy BS, 326
Lewis PG, 324
Linkins RW, 184
Linton LS, 208
Lipkus IM, 247
- M**
- Madsen L, 177
Marcell AV, 49
Marcos I, 30
Marti J, 36
Mason K, 184
McAfee T, 177
McClure JB, 200
McCreath HE, 258
McCulloch D, 15S, 39S
McDonald TE, 106
McGeehin M, 71
McGeehin MA, 221
McGinnis JM, 1S
McNutt L-A, 84
Millstein SG, 49
Mirabelli MC, 221
Morgan SJ, 110
Morland K, 23
Moser K, 134
Mott LA, 137
Muennig PA, 30
- N**
- Nader PR, 165
Naughton MP, 221
Newell SA, 15
Niaura R, 234
Nichols PJ, 15S, 39S
Nietert PJ, 240
Nitzkin JL, 214
Noonan G, 71
Norris SL, 15S, 39S
- O**
- Offner PJ, 110
Okuyemi K, 228
O'Malley MS, 8
Orleans CT, 267
Owen N, 188
Owens AS, 106
- P**
- Patrick K, 66
Pearlman DN, 1
Pender N, 267
Pérez-Stable EJ, 36
Peterson KK, 1
Phillips KA, 98
Pickle LW, 75
Poole C, 23
Powell KE, 73S
Prislin R, 165

R

Rajab MW, 73S
Rakowski W, 1
Ramirez AG, 36
Ramsey LT, 73S
Rauscher GH, 8
Ray SM, 92
Reed A, 117
Rigotti NA, 234
Rimer BK, 1, 247
Ring AR, 296
Robinson DA, 84
Robinson TN, 106
Rock LBS, 333
Rolka DB, 42
Rose IM, 84
Roseman JM, 258
Roux AD, 23
Rubia M, 30
Rubin CH, 221
Russell LB, 151

S

Sachs DPL, 234
Salive ME, 170
Sallis JF, 208
Samsa GP, 247
Sanson-Fisher RW, 15
Sargent JD, 137
Sawyer MH, 165

Schreiner PJ, 258
Scutchfield FD, 66
Seidel JS, 113
Seidman CS, 66
Shevlin JD, 92
Shults RA, 331
Silvers LE, 170
Simon TR, 146
Skinner CS, 247
Sleet DA, 331
Small ML, 146
Snyder SR, 15S, 39S
Stange KC, 320
Stone EJ, 73S
Strigo TS, 247
Su Y, 75
Suarez L, 36
Summers-Bean C, 92

T

Talavera GA, 36
Task Force on Community Preventive
Services, 10S, 67S, 73S
Thomas D, 92
Thompson RS, 331
Tickle JJ, 137
Tilson HH, 217, 218
Todd D, 92
Trapido E, 36
Trevena LJ, 59

V

van der Bij AK, 120
Varricchio FE, 170
Velicer WF, 1
Vest JR, 156
Villarreal R, 36
Volk RJ, 56

W

Waterman S, 134
Wensing M, 120
White JD, 234
Whitlock EP, 267
Whitney CG, 92
Wilhelm JL, 221
Wilson DB, 240
Wing S, 23
Wise RP, 170
Wolff N, 151
Woolf SH, 320

Y

Yohannes F, 117

Z

Zaza S, 331

A

acquired immunodeficiency syndrome (AIDS), 7
 activity, physical. *See* physical activity.
 adolescent alcohol use, 269
 adolescent smoking and parenting practices, 73
 adolescent tobacco use, 269
 advertising, tobacco, 73
 Agency for Healthcare Research and Quality (AHRQ), 2(1S), 57(1S)
 alcohol
 and pedestrian fatalities, 129
 and pregnancy, medical text recommendations, 136
 and smoking in pregnancy, 150
 -exposed pregnancy, 166
 use and dental health, 1(1S)
 use, Hispanic migrant adolescents, 269
 American Academy of Pediatric Dentistry, 34(1S), 77(1S) (table)
 American Academy of Pediatrics, 34(1S), 76(1S) (table)
 American Cancer Society, 72(1S) (table)
 American Dental Association (ADA), 10(1S), 28(1S), 34(1S), 77(1S) (table)
 American Dental Education Association, 10(1S)
 American Healthstyles Survey, 58(2S)
 American Medical Association, 34(1S), 77(1S) (table)

B

battered women. *See* intimate partner.
 behavior
 change, physical activity, 3(2S), 44(2S)
 change intervention, 62
 health, physical activity, 113
 risk-taking, 7, 62, 82, 91, 143, 269
 travel, and physical activity, 65(2S)
 Behavioral Risk Factor Surveillance System (BRFSS), 56(2S)
 Benefits and Risks of Water Fluoridation: Report Prepared for Ontario's Public Consultation on Water Fluoridation Levels, 57(1S), 60(1S)
 bioterrorism, book review, 139
 body weight, excess, cost of, 1
 book review, Guidotti, 139
 Keck, 140
 built environment, 64(2S)
 dimensions of, table, 66(2S)

C

California Tobacco Survey (CTS), 74
 Canadian Task Force on Preventive Health Care, 19(1S), 56(1S), 58(1S), 59(1S), 63(1S) (table), 68(1S)
 cancer, oral and pharyngeal, 1(1S), 3(1S), 6(1S), 13(1S), 16(1S), 21(1S), 32(1S), 55(1S), 81(1S)
 screening, colorectal, 28

Pap smear, 207
 carcinoma, basal cell, and sunburn, 91
 cardiovascular disease
 and excess body weight, 1
 and hypercholesterolemia, 13
 and physical activity, 121
 economic analysis, 1
 nutrition education, 297
 caries, dental, 1(1S), 3(1S), 6(1S), 8(1S), 13(1S), 16(1S), 21(1S), 55(1S), 81(1S)
 cariostatic agents, 16(1S), 21(1S), 55(1S)
 chemical agents, warfare, 200
 child immunization status, 36, 106
 children, African-American, risk of measles, 195
 cholesterol
 high, 13
 -lowering therapy, 13
 city design, 23(2S)
 Cochrane Collaboration, 3(1S), 58(1S)
 college students, vaccinating, 98
 colonoscopy, 28
 colorectal cancer screening, 28
 community coalitions for substance abuse, 237, 304
 community-based tobacco/alcohol program, 269
 Community DentCare Network, 8(1S)
 Community Voices: Healthcare for the Underserved initiative, 8(1S), 13(1S)
 community water fluoridation (CWF), 1(1S), 3(1S), 17(1S), 24(1S), 25(1S) (table), 32(1S), 65(1S) (table), 82(1S)
 effectiveness, 26(1S) (table), 47(1S)
 National Health Service (UK) "York Review", 19(1S), 35(1S), 54(1S), 56(1S), 67(1S) (table)
 potential adverse effects of, 54(2S)
 computer-based counseling, physical activity, 113
 conference, Whistler 2001, physical activity, 221
 confounders, defined, 7(2S)
 coronary heart disease and depression, 51
 cost
 and cost analysis, excess body weight, 1
 and cost analysis, HIV, 7
 -benefit analysis and HEDIS measures, 276
 effectiveness and HEDIS measures, 276
 of dental services, 16(1S), 17(1S), 21(1S), 28(1S)
 counseling, nutrition, 174
 craniofacial injuries, sports-related, 1(1S), 3(1S), 6(1S), 8(1S), 13(1S), 16(1S), 21(1S), 55(1S), 76(1S) (table), 79(1S) (table), 81(1S)
 curriculum in dental education, 14(1S)

D

death, attitude toward, 215

dental health projects, neighborhood-based, 15(1S)
 dental schools, 14(1S)
 dental sealant trials, 3(1S)
 Dental Service Research Scholars program, 14(1S)
 Dental Training for Care of the Handicapped program (RWJF), 13(1S)
 dentistry, community, 16(1S), 21(1S), 55(1S)
 preventive, 21(2S), 55(2S)
 public health, 16(2S), 21(2S), 55(2S)
 depression and coronary heart disease, 51
 disabled persons, physical activity, 290
 disease outbreak detection, 180
 disparities, racial and ethnic, in oral health, 8(1S), 13(1S), 33(1S)
 Doctors Against Handgun Injury (DAHI), 316
 domestic violence, 260
 compared to other risk-taking behavior, 82
 physician's beliefs and behaviors, 82
 survey questionnaire for, 83
 dormitory students, vaccinating, 98
 drug use, community action against, 237, 304

E

ecologic approach to oral health promotion, 35(1S), 36(1S)
 education, medical for nutrition, cardiovascular, 297
 economic analysis, cardiovascular disease, 1
 ehrlichiosis, 47
 elderly and physical activity, 80(2S), 92(2S)
 environment
 pedestrian-oriented, 22(2S)
 physical, audit to measure, 187
 environmental mediators of physical activity, 20(2S)
 equipment, protective, sport, 1(1S), 16(1S), 18(1S), 21(1S), 34(1S), 55(1S), 79(1S) (table)
 ESSENCE (Electronic Surveillance System for the Early Notification of Community-Based Epidemics, 180, 229
 evidence-based dentistry, 3(1S), 21(1S)
 medicine, 16(2S), 21(2S), 55(2S)
 exercise, 113, 121. *See also* physical activity.
 training for disabled persons, 290

F

face masks. *See* equipment.
 fatalities, motor vehicle-related, 129
 fecal occult blood test (FOBT), 28
 fetal alcohol syndrome, 136, 166
 Fighting Back, community coalition, 237, 304
 financing oral health care, 8(1S)
 firearms, preventing injury, ACPM position statement, 316

fluorides and fluoridation, 1(1S), 3(1S), 13(1S), 16(1S), 55(1S). *See also* community water fluoridation.
fluorosis, enamel, 17(1S), 27(1S)
football, injury prevention in, 34(1S)

G

genetic factors in physical activity, 87(2S)
Guide to Clinical Preventive Services:
 Report of the U.S. Preventive Services Task Force (2nd edition, 1996), 22(1S), 33(1S), 58(1S), 59(1S), 72(1S) (table)
guidelines, practice, 16(1S), 21(1S), 55(1S)
Gulf War veterans, illness experience, 200

H

handgun injury, preventing, ACPM position statement, 316
Health Canada, 221
health education programs for dental health, 7(1S)
Health Resources and Services
 Administration (HRSA), 2(1S), 29(1S), 32(1S)
health services, community, 16(1S), 21(1S), 55(1S)
Healthy People 2010 goals and objectives for promoting oral health, 1(1S), 3(1S), 16(1S), 22(1S)
heat-induced death, vehicles, 231
HEDIS measures and cost effectiveness, 276
helmets. *See* equipment.
Hispanic migrant adolescents, alcohol use, 269
 tobacco use, 269
HIV prevention needs, cost of, 7

I

immunization
 coverage, improving, commentary, 70
 delay in schedule, 36
 history, child, 106
 influenza, 43
 rates, measles, 195
 schedule, delayed, 36
 storage practices, 246
 underserved areas, 106
inactivity, physical, 1(2S), 74(2S), 104(2S)
 treatment for, 1(2S)
Indian Health Service (IHS), 2(1S), 29(1S), 32(1S)
Indians, North American, and pedestrian fatalities, 129
influenza vaccine, 43
injuries
 craniofacial, 1(1S), 3(1S), 6(1S), 8(1S), 13(1S), 16(1S), 21(1S), 55(1S), 88(1S)
 facial, 16(1S), 21(1S), 55(1S)
 sports-related, 1(1S), 3(1S), 6(1S), 8(1S), 13(1S), 16(1S), 21(1S), 55(1S), 81(1S)
 tooth, 16(1S), 21(1S), 55(1S)
Institute of Medicine (IOM), 19(1S)
IOM Dietary Reference Intakes for Calcium, Phosphorus, Magnesium, Vitamin D, and Fluoride, 58(1S), 68(1S) (table)

insurance coverage
 colorectal cancer screening, 28
 excess body weight, 1
 smoking cessation, 160
intervention studies, population-based, 6(1S), 16(1S), 21(1S), 33(1S), 55(1S)
intimate partner violence. *See* domestic violence.

L

land use and physical activity, 65(2S)
legislation, seat belt use, 254
life, end of, as public health issue, 215
life, quality of, 215
Lyme disease, 47

M

mailings, mass, 43
market research to promote physical activity, 56(2S)
marketing, tobacco, 73
mass mailings, effect on vaccine receipt, 43
Maternal and Child Health Bureau, 32(1S)
measles outbreak, risk of, 195
measurement and methods in physical activity research, 44(2S)
mediators
 defined, 7(2S), 26(2S)
 of exercise adherence in the elderly, 80(2S)
 of physical activity, women, 98(2S)
 psychosocial, 26(2S)
Medicaid providers or programs, 9(1S), 32(1S)
Medicare beneficiaries, influenza vaccine, 43
melanoma and sunburn, 91
meningococcal infections and students, 98
mental health and intimate partner violence, 260
merchant incentives, tobacco, 73
methods for conducting systematic reviews, 1(1S), 22(1S), 40(1S)
Mexican-U.S. border, telephone survey use, 22
moderators, defined, 7(2S)
motor vehicle-related fatalities, 129
 seat belts, 254
mouthguards. *See* equipment.

N

National Dental Association, 10(1S)
National Health and Nutrition Examination Survey (NHANES), 57(2S)
National Health Interview Survey (NHIS), 56(2S), 74(2S)
National Health Service (UK) "York Review". *See* community water fluoridation.
National Institute of Dental and Craniofacial Research (NIDCR), 29(1S), 57(1S)
National Institutes of Health (NIH), 2(1S), 56(1S), 63(1S) (table)
National Oral Health Plan, 22(1S)
National Survey on Recreation and the Environment (NSRE), 59(2S)

National Violence Against Women Survey (NVAWS), 260
neighborhood study, physical activity, 37(2S)
neoplasm
 cervical, 207
 colorectal, 28
 skin, and sunburn, 91
 oral and pharyngeal, 16(1S), 21(1S), 55(1S)
nicotine, 143
NIH Consensus Development Conference Statement, Diagnosis and Management of Dental Caries Throughout Life, 3(1S), 56(1S), 63(1S) (table)
nutrition counseling, 174
 direct observation, 174
 education, cardiovascular, 297

O

obesity, 1
observation of practice (nutrition counseling), 174
occupational medicine, 308, 311, 312
Oral Health in America: A Report of the Surgeon General, 1(1S), 3(1S), 7(1S), 13(1S), 22(1S), 35(1S), 56(1S), 57(1S), 63(1S) (table), 66(1S) (table), 68(1S) (table), 69(1S) (table), 72(1S) (table), 74(1S) (table), 76(1S) (table), 82(1S)
oral health
 objectives, 1(1S), 22(1S), 23(1S) (table)
 community-based, 8(1S), 16(1S), 21(1S), 55(1S)
outbreak, disease detection system, 180
 prevention outcomes, community coalitions, 237, 304

P

Pap smear screening, 207
parenting practices and adolescent smoking, 73
pedestrian fatalities, 129
pedestrian-oriented environments, 22(2S)
Persian Gulf syndrome, 200
physical activity, 113, 187, 3(2S)
 and health messages, 221
 and disabled persons, 290
 behavior, 26(2S), 44(2S), 98(2S)
 computer-based counseling, 113
 decline, inner-city youth, 121
 effect of built environment, 64(2S)
 effect of environment on, 36(2S)
 environmental mediators, 20(2S)
 factors that influence, 3(2S), 5(2S)
 genetic factors, 87(2S)
 in the elderly, 80(2S), 92(2S)
 interventions, research, 5(2S)
 levels, twins, 87(2S)
 measurement and methods, 44(2S)
 mediator studies, 28(2S)
 neighborhood study, 37(2S)
 physical environment, 187
 promotion of, 1(2S), 3(2S), 15(2S), 56(2S)
 recommended daily, 113
 telephone counseling, 113
 theoretical approaches, 15(2S)

community psychology, 18(2S)
 environmental psychology, 18(2S)
 personal-level, 15(2S)
 social-ecologic, 17(2S)
 physical environment, audit to measure, 187
 physical inactivity, 1(2S)
 physician / practice characteristics, 82, 246
 Pipeline, Profession, and Practice:
 Community-Based Dental Education, 14(1S)
 poverty
 and oral health, 8(1S), 13(1S), 33(1S)
 and pregnancy, alcohol, tobacco, 150
 pregnancy
 and alcohol, 136, 150
 alcohol-exposed, 150, 166
 pregnant women, low-income, 150
 Preventing and Controlling Oral and Pharyngeal Cancer: Recommendations from a National Strategic Planning Conference, 32(1S), 56(1S), 57(1S), 74(1S) (table)
 prevention programs, community-level, 1(1S), 3(1S), 6(1S), 8(1S), 13(1S), 16(1S), 21(1S), 55(1S), 81(1S)
 PRIZM lifestyle geodemographic segmentation, 58(2S)
 protective devices in contact sports. *See* equipment.
 public health
 dental practice, 7(1S), 16(1S), 21(1S), 55(1S)
 leadership and management, book review, 140
 surveillance data, 56(2S)

R

Recommendations for Using Fluoride to Prevent and Control Dental Caries in the United States, 56(1S), 59(1S), 66(1S) (table)
 research issues in oral health
 preventing and controlling dental caries using CWF and sealants, 32(1S)
 preventing and controlling oral and pharyngeal cancers, 33(1S)
 preventing and controlling sports-related craniofacial injuries, 35(1S)
 review literature
 behavior change interventions, 62

depression and heart disease, 51
 risk-taking behavior. *See* behavior.
 Robert Wood Johnson Foundation (RWJF), 10(1S), 13(1S)
 Rocky Mountain spotted fever (RMSF), 47

S

sealant programs, school-based or school-linked, 1(1S), 8(1S), 28(1S), 29(1S) (table), 32(1S)
 sealants, pit and fissure, 1(1S), 3(1S), 16(1S), 21(1S), 28(1S), 32(1S), 55(1S)
 seat belt use, 254
 sigmoidoscopy, flexible, 28
 smokeless tobacco, 143
 smoking, 143, 150, 226
 adolescents, 269
 and parenting practices, 73
 and alcohol use in pregnancy, 150
 cessation, 143, 150, 160
 and insurance coverage, 160
 snuff use, 143, 226
 SPACES (Systematic Pedestrian and Cycling Environmental Scan), 187
 spouse abuse. *See* intimate partner.
 State Action for Oral Health Access, 15(1S)
 students, college, meningococcal infections, 98
 substance abuse, community action, 237, 304
 sunburn prevalence, adults, 91
 Surgeon General's Report on Oral Health. *See* Oral Health in America.
 systematic reviews, methods for conducting, 1(1S), 22(1S), 40(1S)

T

Tai Chi and activity level in elderly, 92(2S)
 telephone
 counseling for physical activity, 113
 use in surveys, 22
 textbooks, obstetrical, recommendations, alcohol use, 136
 tick exposure, risk factors for, 47
 tickborne illnesses, prevention recommendations, 47
 tobacco
 disease prevention, 226
 industry, 73
 marketing, adolescent receptivity, 73
 smokeless, 143

use and oral health, 1(1S)
 -use cessation, 150, 160
 use, Hispanic migrant adolescents, 269
 traffic accidents, 129
 travel behavior and physical activity, 65(2S), 68(2S)
 twins and physical activity levels, 87(2S)

U

urban planning
 and physical activity, 21(2S), 64(2S), 74(2S)

V

vaccination
 child, underserved areas, 106
 rates, measles, 195
 status, children, 36
 vaccine(s), 246
 coverage, improving, commentary, 70
 influenza, 43
 meningococcal infection, 98
 storage practices, 246
 vehicles, heat-induced death, 231
 veterans, Gulf War, chemical agent exposure, 200
 violence against women. *See* domestic violence.

W

W. K. Kellogg Foundation and oral health, 8(1S), 13(1S)
 walking, 187
 for transportation, 74(2S)
 to work, 36(2S)
 war, veterans and illness experience, 200
 weight, excess body, and cardiovascular disease, 1
 women
 and physical activity behavior, 98(2S)
 Vietnamese-American, Pap smear, 207
 women's health, 166, 207
 Workshop on Guidelines for Sealant Use: Recommendations, 58(1S), 69(1S) (table)

Y

Youth Risk Factor Behavior Surveillance System (YRBSS), 56(2S)

